

## MANDRINI Tipo D-DT


in Acciaio Cementato e Temprato DIN 6327

GRUPPO 0-1-2

Mandrino tipo D-D/T in acciaio cementato temprato e rinvenuto HRC 60.

Questo mandrino consente un rapido innesto di tutti gli utensili Polledri nell'ambito dello stesso gruppo.

Adatti per macchine a controllo numerico e dove è necessario registrare l'altezza dell'utensile.



- 1) Gambo filettato DIN 6327 (TR 16-20-28-36-48)
- 2) Ghiera di registrazione
- 3) Vite di regolazione fermo Punta
- 4) Foro di passaggio gambo Guida o Punta
- 5) Vite di bloccaggio gambo Guida o Punta
- 6) Spine di trascinamento utensile
- 7) Vite di bloccaggio Utensile
- 8) Sede gambo Utensile
- 9) Cava di trascinamento Utensile

## Toolholders Type D-DT


in carburized and hardened steel DIN 6327

GROUP 0-1-2

Toolholders type D-D/T in carburized and hardened steel hardness 60 HRC.

You can fit in them rapidly all the Polledri counterbores and countersinks of the same group.

We advise them for NC. Machines and always when you need to adjust the counterbores.



- 1) Threaded shank DIN 6327 TR 16-20-28-36-48
- 2) Adjustment ring nut
- 3) Adjustment screw for drillrest
- 4) Accommodation hole for pilot or drill shank
- 5) Locking screw for pilot or drill
- 6) Connection pins for tool
- 7) Accommodation for tool shank
- 8) Locking screw for tool
- 9) Frontal connection slot for tool